

XL SuperStar Module
CentraLite: SuperStar
Tag Number
0459

Quadrant A / 1

[MCP:1-M01]

XL SuperStar Module

Circuit ID Cable ID	Style	Location & Name	Source Cable(s)	Length & Destination
--	-------	-----------------	-----------------	----------------------

Quadrant A / 2

Lakeside Rm: Button 3A-AR.7

XL SuperStar Module

Input Address = MCP:1-M02

Circuit ID Cable ID	Style	Location & Name	Source Cable(s)	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-X24	Cat 5	Lakeside Rm: Button 3A-AR.7		69	3A-XA3	Cat 5e	Brown	Button R7	Input 2
3A-XA3	(XL-B)			XL Keypad 3A-A/R	3A-XA3	Cat 5e	White/Brown	Common	Common

Quadrant A / 3

Lakeside Rm: Button 3A-AR.8

XL SuperStar Module

Input Address = MCP:1-M03

Circuit ID Cable ID	Style	Location & Name	Source Cable(s)	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-X25	Cat 5	Lakeside Rm: Button 3A-AR.8		69	3A-XA3	Cat 5e	White/Green	Button R8	Input 3
3A-XA3	(XL-B)			XL Keypad 3A-A/R					

Quadrant A / 4

[MCP:1-M04]

XL SuperStar Module

Circuit ID Cable ID	Style	Location & Name	Source Cable(s)	Length & Destination
--	-------	-----------------	-----------------	----------------------

Quadrant A / 5

[MCP:1-M05]

XL SuperStar Module

Circuit ID Cable ID	Style	Location & Name	Source Cable(s)	Length & Destination
--	-------	-----------------	-----------------	----------------------

Quadrant A / 6

Garage: Button 3A-C.6 (ext)

XL SuperStar Module

Input Address = MCP:1-M06

Circuit ID Cable ID	Style	Location & Name	Source Cable(s)	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2H-X33	Cat 5	Garage: Button 3A-C.6 (ext)		48	2H-XT2	Cat 5e	White/Green	3A-C.6 (ext)	Input 6
2H-XT2	(XL-B)			Orange/XL-Dim/2					

Quadrant A / 7

Garage: Button 3A-C.5 (ext)

XL SuperStar Module

Input Address = MCP:1-M07

Circuit ID Cable ID	Style	Location & Name	Source Cable(s)	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2H-X34	Cat 5	Garage: Button 3A-C.5 (ext)		48	2H-XT1	Cat 5e	Green	Signal 3	Input 7
2H-XT1	(XL-B)			Orange/XL-Dim/2					

Quadrant A / 8

[MCP:1-M08]

XL SuperStar Module

Circuit ID Cable ID	Style	Location & Name	Source Cable(s)	Length & Destination
--	-------	-----------------	-----------------	----------------------

Quadrant A / 9

Garage: Button 2H-A.7 (ext)

XL SuperStar Module

Input Address = MCP:1-M09

Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2H-X09	Cat 5 (XL-B)	Garage: Button 2H-A.7 (ext)	48	2H-XT1	Cat 5e	Brown	Signal 1	Input 9
2H-XT1			Orange/XL-Dim/2	2H-XT1	Cat 5e	White/Brown	Common	Common

Quadrant A / 10

Garage: Button 2H-A.8 (ext)

XL SuperStar Module

Input Address = MCP:1-M10

Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2H-X10	Cat 5 (XL-B)	Garage: Button 2H-A.8 (ext)	48	2H-XT1	Cat 5e	White/Green	Signal 2	Input 10
2H-XT1			Orange/XL-Dim/2					

Quadrant A / 11

Garage: Button 2H-B.5 (ext)

XL SuperStar Module

Input Address = MCP:1-M11

Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2H-X26	Cat 5 (XL-B)	Garage: Button 2H-B.5 (ext)	48	2H-XT1	Cat 5e	Orange	Signal 5	Input 11
2H-XT1			Orange/XL-Dim/2					

Quadrant A / 12

Garage: Button 2H-C.4 (ext)

XL SuperStar Module

Input Address = MCP:1-M12

Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2H-X27	Cat 5 (XL-B)	Garage: Button 2H-C.4 (ext)	48	2H-XT1	Cat 5e	White/Blue	Signal 6	Input 12
2H-XT1			Orange/XL-Dim/2					

Quadrant A / 13

BR 3: Button 2F-C.7

XL SuperStar Module

Input Address = MCP:1-M13

Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X11	Cat 5 (XL-B)	BR 3: Button 2F-C.7	60	2F-XC3	Cat 5e	White/Green	Button 7	Input 13
2F-XC3			XL Keypad 2F-C	2F-XC3	Cat 5e	White/Brown	Common	Common

Quadrant A / 14

BR 3: Button 2F-C.8

XL SuperStar Module

Input Address = MCP:1-M14

Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X12	Cat 5 (XL-B)	BR 3: Button 2F-C.8	60	2F-XC3	Cat 5e	Green	Button 8	Input 14
2F-XC3			XL Keypad 2F-C					

Quadrant A / 15

BR 3: Button 2G-A.7 (ext)

XL SuperStar Module

Input Address = MCP:1-M15

Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X13	Cat 5 (XL-B)	BR 3: Button 2G-A.7 (ext)	60	2F-XC3	Cat 5e	White/Orange	Button 7 @ 2G-A	Input 15
2F-XC3			XL Keypad 2F-C					

Quadrant A / 16

BR 3: Button 2G-A.8 (ext)

XL SuperStar Module

Input Address = MCP:1-M16

Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X14	Cat 5 (XL-B)	BR 3: Button 2G-A.8 (ext)	60	2F-XC3	Cat 5e	Orange	Button 8 @ 2G-A	Input 16
2F-XC3			XL Keypad 2F-C					

Quadrant A / 17

BR 3: Button 2F-C.3

XL SuperStar Module

Input Address = MCP:1-M17

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X07 2F-XC3	Cat 5 (XL-B)	BR 3: Button 2F-C.3	60 XL Keypad 2F-C	2F-XC3	Cat 5e	Brown	Button 3	Input 17

Quadrant A / 18

Garage: Button 2F-D.2 (ext)

XL SuperStar Module

Input Address = MCP:1-M18

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2H-X28 2H-XT2	Cat 5 (XL-B)	Garage: Button 2F-D.2 (ext)	48 Orange/XL-Dim/2	2H-XT2 2H-XT2	Cat 5e Cat 5e	Brown White/Brown	Button 1 Common	Input 18 Common

Quadrant A / 20

[MCP:1-M20]

XL SuperStar Module

<i>Source Cable(s)</i>			
Circuit ID Cable ID	Style	Location & Name	Length & Destination

Quadrant A / 21

[MCP:1-M21]

XL SuperStar Module

<i>Source Cable(s)</i>			
Circuit ID Cable ID	Style	Location & Name	Length & Destination

Quadrant A / 22

[MCP:1-M22]

XL SuperStar Module

<i>Source Cable(s)</i>			
Circuit ID Cable ID	Style	Location & Name	Length & Destination

Quadrant A / 23

[MCP:1-M23]

XL SuperStar Module

<i>Source Cable(s)</i>			
Circuit ID Cable ID	Style	Location & Name	Length & Destination

Quadrant A / 24

[MCP:1-M24]

XL SuperStar Module

<i>Source Cable(s)</i>			
Circuit ID Cable ID	Style	Location & Name	Length & Destination

Quadrant B / 1

[MCP:1-N01]

XL SuperStar Module

<i>Source Cable(s)</i>			
Circuit ID Cable ID	Style	Location & Name	Length & Destination

Quadrant B / 2

Mud Room: Button 2E-AU.8

XL SuperStar Module

Input Address = MCP:1-N02

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2E-X14 2E-XA3	Cat 5 (XL-B)	Mud Room: Button 2E-AU.8	31 XL Keypad 2E-A/U	2E-XA3	Cat 5e	Brown	Button U8	Input 2

Quadrant B / 3

Mud Room: Button 2E-AD.1

XL SuperStar Module

Input Address = MCP:1-N03

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2E-X01 2E-XA3	Cat 5 (XL-B)	Mud Room: Button 2E-AD.1	31 XL Keypad 2E-A/D	2E-XA3	Cat 5e	White/Green	Button D1	Input 3
				2E-XA3	Cat 5e	White/Brown	Common	Common

Quadrant B / 4

Mud Room: Button 2E-AD.2

XL SuperStar Module

Input Address = MCP:1-N04

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2E-X02 2E-XA3	Cat 5 (XL-B)	Mud Room: Button 2E-AD.2	31 XL Keypad 2E-A/D	2E-XA3	Cat 5e	Green	Button D2	Input 4

Quadrant B / 5

Mud Room: Button 2E-AD.3

XL SuperStar Module

Input Address = MCP:1-N05

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2E-X03 2E-XA3	Cat 5 (XL-B)	Mud Room: Button 2E-AD.3	31 XL Keypad 2E-A/D	2E-XA3	Cat 5e	White/Orange	Button D3	Input 5

Quadrant B / 6

Green Utility Closet: Button 2D-A.7 (ext)

XL SuperStar Module

Input Address = MCP:1-N06

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1F-X01 1F-XT1	Cat 5 (XL-B)	Green Utility Closet: Button 2D-A.7 (ext)	59 Green/XL-Dim	1F-XT1	Cat 5e	Brown	Button 7 @ 2D-A	Input 6
				1F-XT1	Cat 5e	White/Brown	Common	Common

Quadrant B / 7

Green Utility Closet: Button 2D-A.8 (ext)

XL SuperStar Module

Input Address = MCP:1-N07

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1F-X02 1F-XT1	Cat 5 (XL-B)	Green Utility Closet: Button 2D-A.8 (ext)	59 Green/XL-Dim	1F-XT1	Cat 5e	White/Green	Button 8 @ 2D-A	Input 7

Quadrant B / 8

Kitchen: Button 2D-EL.1

XL SuperStar Module

Input Address = MCP:1-N08

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2D-X25 2D-XE3	Cat 5 (XL-B)	Kitchen: Button 2D-EL.1	57 XL Keypad 2D-E/L	2D-XE3	Cat 5e	Brown	Button L1	Input 8
				2D-XE3	Cat 5e	White/Brown	Common	Common

Quadrant B / 9

Kitchen: Button 2D-EL.2

XL SuperStar Module

Input Address = MCP:1-N09

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2D-X26 2D-XE3	Cat 5 (XL-B)	Kitchen: Button 2D-EL.2	57 XL Keypad 2D-E/L	2D-XE3	Cat 5e	White/Green	Button L2	Input 9

Quadrant B / 10

Kitchen: Button 2D-EL.3

XL SuperStar Module

Input Address = MCP:1-N10

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2D-X27 2D-XE3	Cat 5 (XL-B)	Kitchen: Button 2D-EL.3	57 XL Keypad 2D-E/L	2D-XE3	Cat 5e	Green	Button L3	Input 10

Quadrant B / 11

Kitchen: Button 2D-EL.4

XL SuperStar Module

Input Address = MCP:1-N11

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2D-X28 2D-XE3	Cat 5 (XL-B)	Kitchen: Button 2D-EL.4	57 XL Keypad 2D-E/L	2D-XE3	Cat 5e	White/Orange	Button L4	Input 11

Quadrant B / 12

Kitchen: Button 2D-EL.8

XL SuperStar Module

Input Address = MCP:1-N12

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2D-X32 2D-XE3	Cat 5 (XL-B)	Kitchen: Button 2D-EL.8	57 XL Keypad 2D-E/L	2D-XE3	Cat 5e	Orange	Button L8	Input 12

Quadrant B / 13

Screen Porch: Button 2F-FL.1

XL SuperStar Module

Input Address = MCP:1-N13

Change

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X49 2F-XF2	Cat 5 (XL-B)	Screen Porch: Button 2F-FL.1	57 XL Keypad 2F-F/L	2F-XF2	Cat 5e	Brown	Button L1	Input 13
				2F-XF2	Cat 5e	White/Brown	Common	Common

Quadrant B / 14

Screen Porch: Button 2F-FL.2

XL SuperStar Module

Input Address = MCP:1-N14

Change

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X50 2F-XF2	Cat 5 (XL-B)	Screen Porch: Button 2F-FL.2	57 XL Keypad 2F-F/L	2F-XF2	Cat 5e	White/Green	Button L2	Input 14

Quadrant B / 15

Screen Porch: Button 2F-FL.3

XL SuperStar Module

Input Address = MCP:1-N15

Change

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X51 2F-XF2	Cat 5 (XL-B)	Screen Porch: Button 2F-FL.3	57 XL Keypad 2F-F/L	2F-XF2	Cat 5e	Green	Button L3	Input 15

Quadrant B / 16

Screen Porch: Button 2F-FL.4

XL SuperStar Module

Input Address = MCP:1-N16

Change

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X52 2F-XF2	Cat 5 (XL-B)	Screen Porch: Button 2F-FL.4	57 XL Keypad 2F-F/L	2F-XF2	Cat 5e	White/Orange	Button L4	Input 16

Quadrant B / 17

Screen Porch: Button 2F-FL.5

XL SuperStar Module

Input Address = MCP:1-N17

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X53 2F-XF2	Cat 5 (XL-B)	Screen Porch: Button 2F-FL.5	57 XL Keypad 2F-F/L	2F-XF2	Cat 5e	Orange	Button L5	Input 17

Quadrant B / 18

Screen Porch: Button 2F-FL.6

XL SuperStar Module

Input Address = MCP:1-N18

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X54 2F-XF2	Cat 5 (XL-B)	Screen Porch: Button 2F-FL.6	57 XL Keypad 2F-F/L	2F-XF2	Cat 5e	White/Blue	Button L6	Input 18

Quadrant B / 19

Kitchen: Button 2D-ER.6

XL SuperStar Module

Input Address = MCP:1-N19

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2D-X38 2D-XE3	Cat 5 (XL-B)	Kitchen: Button 2D-ER.6	57 XL Keypad 2D-E/R	2D-XE3	Cat 5e	White/Blue	Button R6	Input 19

Quadrant B / 20

Screen Porch: Button 2F-FL.7

XL SuperStar Module

Input Address = MCP:1-N20

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X55 2F-XF3	Cat 5 (XL-B)	Screen Porch: Button 2F-FL.7	57 XL Keypad 2F-F/L	2F-XF3	Cat 5e	Brown	Button L7	Input 20
				2F-XF3	Cat 5e	White/Brown	Common	Common

Quadrant B / 21

Screen Porch: Button 2F-FL.8

XL SuperStar Module

Input Address = MCP:1-N21

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X56 2F-XF3	Cat 5 (XL-B)	Screen Porch: Button 2F-FL.8	57 XL Keypad 2F-F/L	2F-XF3	Cat 5e	White/Green	Button L8	Input 21

Quadrant B / 22

Green Utility Closet: Button 1F-AL.8 (ext)

XL SuperStar Module

Input Address = MCP:1-N22

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1F-X25 1F-XT1	Cat 5 (XL-B)	Green Utility Closet: Button 1F-AL.8 (ext)	59 Green/XL-Dim	1F-XT1	Cat 5e	Green	Signal 3	Input 22

Quadrant B / 23

Screen Porch: Button 2F-FR.6

XL SuperStar Module

Input Address = MCP:1-N23

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2F-X22 2F-XF3	Cat 5 (XL-B)	Screen Porch: Button 2F-FR.6	57 XL Keypad 2F-F/R	2F-XF3	Cat 5e	Green	Button R6	Input 23

Quadrant B / 24

[MCP:1-N24]

XL SuperStar Module

<i>Source Cable(s)</i>			
Circuit ID Cable ID	Style	Location & Name	Length & Destination

Quadrant C / 1

Blue Utility Area: Button 1G-A.7 (Ext)

XL SuperStar Module

Input Address = MCP:1-O01

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1G-X17 1G-XT1	Cat 5 (XL-B)	Blue Utility Area: Button 1G-A.7 (Ext)	65 Blue/XL-Dim	1G-XT1	Cat 5e	Brown	Button 1G-A.7 (et)	Input 1
				1G-XT1	Cat 5e	White/Brown	Common	Common

Quadrant C / 2

XL SuperStar Module

Input Address = MCP:1-O02

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1G-X18 1G-XT1	Cat 5 (XL-B)	Blue Utility Area: Button 1G-A.8 (Ext)	65 Blue/XL-Dim

Blue Utility Area: Button 1G-A.8 (Ext)

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1G-XT1	Cat 5e	White/Green	Button 1G-A.8 (ext)	Input 2

Quadrant C / 3

XL SuperStar Module

Input Address = MCP:1-O03

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1G-X38 1G-XT1	Cat 5 (XL-B)	Blue Utility Area: Button 1G-E.5 (ext)	65 Blue/XL-Dim

Blue Utility Area: Button 1G-E.5 (ext)

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1G-XT1	Cat 5e	Green	Button 1G-E.5 (ext)	Input 3

Quadrant C / 4

XL SuperStar Module

Input Address = MCP:1-O04

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1G-X39 1G-XT1	Cat 5 (XL-B)	Blue Utility Area: Button 1G-E.6 (ext)	65 Blue/XL-Dim

Blue Utility Area: Button 1G-E.6 (ext)

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1G-XT1	Cat 5e	White/Orange	Button 1G-E.6 (ext)	Input 4

Quadrant C / 5

XL SuperStar Module

[MCP:1-O05]

Circuit ID Cable ID	Style	Location & Name	Length & Destination

Quadrant C / 6

XL SuperStar Module

[MCP:1-O06]

Circuit ID Cable ID	Style	Location & Name	Length & Destination

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1G-XT1	Cat 5e	White/Blue	Button 1H-B.1 (ext)	Input #6

Quadrant C / 7

XL SuperStar Module

Input Address = MCP:1-O07

Circuit ID Cable ID	Style	Location & Name	Length & Destination
3A-X34 3A-XB3	Cat 5 (XL-B)	Upper Bar: Button 3A-BR.1	61 XL Keypad 3A-B/R

Upper Bar: Button 3A-BR.1

Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-XB3	Cat 5e	Brown	Button R1	Input 7
3A-XB3	Cat 5e	White/Brown	Common	Common

Quadrant C / 8

XL SuperStar Module

Input Address = MCP:1-O08

Circuit ID Cable ID	Style	Location & Name	Length & Destination
3A-X35 3A-XB3	Cat 5 (XL-B)	Upper Bar: Button 3A-BR.2	61 XL Keypad 3A-B/R

Upper Bar: Button 3A-BR.2

Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-XB3	Cat 5e	White/Green	Button R2	Input 8

Quadrant C / 9

XL SuperStar Module

Input Address = MCP:1-O09

Circuit ID Cable ID	Style	Location & Name	Length & Destination
3A-X36 3A-XB3	Cat 5 (XL-B)	Upper Bar: Button 3A-BR.3	61 XL Keypad 3A-B/R

Upper Bar: Button 3A-BR.3

Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-XB3	Cat 5e	Green	Button R3	Input 9

Quadrant C / 10

Upper Bar: Button 3A-BR.4

XL SuperStar Module

Input Address = MCP:1-O10

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-X37 3A-XB3	Cat 5 (XL-B)	Upper Bar: Button 3A-BR.4	61 XL Keypad 3A-B/R	3A-XB3	Cat 5e	White/Orange	Button R4	Input 10

Quadrant C / 11

Upper Bar: Button 3A-BR.5

XL SuperStar Module

Input Address = MCP:1-O11

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-X38 3A-XB4	Cat 5 (XL-B)	Upper Bar: Button 3A-BR.5	61 XL Keypad 3A-B/R	3A-XB4	Cat 5e	Brown	Button R5	Input 11
				3A-XB4	Cat 5e	White/Brown	Common	Common

Quadrant C / 12

Upper Bar: Button 3A-BR.6

XL SuperStar Module

Input Address = MCP:1-O12

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-X39 3A-XB4	Cat 5 (XL-B)	Upper Bar: Button 3A-BR.6	61 XL Keypad 3A-B/R	3A-XB4	Cat 5e	White/Green	Button R6	Input 12

Quadrant C / 13

Upper Bar: Button 3A-BR.7

XL SuperStar Module

Input Address = MCP:1-O13

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-X40 3A-XB4	Cat 5 (XL-B)	Upper Bar: Button 3A-BR.7	61 XL Keypad 3A-B/R	3A-XB4	Cat 5e	Green	Button R7	Input 13

Quadrant C / 14

Upper Bar: Button 3A-BR.8

XL SuperStar Module

Input Address = MCP:1-O14

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
3A-X41 3A-XB4	Cat 5 (XL-B)	Upper Bar: Button 3A-BR.8	61 XL Keypad 3A-B/R	3A-XB4	Cat 5e	White/Orange	Button R8	Input 14

Quadrant C / 15

Mud Room: Button 2E-AU.1

XL SuperStar Module

Input Address = MCP:1-O15

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2E-X07 2E-XA4	Cat 5 (XL-B)	Mud Room: Button 2E-AU.1	31 XL Keypad 2E-A/U	2E-XA4	Cat 5e	Brown	Button U1	Input 15
				2E-XA4	Cat 5e	White/Brown	Common	Common

Quadrant C / 16

Mud Room: Button 2E-AU.2

XL SuperStar Module

Input Address = MCP:1-O16

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2E-X08 2E-XA4	Cat 5 (XL-B)	Mud Room: Button 2E-AU.2	31 XL Keypad 2E-A/U	2E-XA4	Cat 5e	White/Green	Button U2	Input 16

Quadrant C / 17

Mud Room: Button 2E-AU.3

XL SuperStar Module

Input Address = MCP:1-O17

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
2E-X09 2E-XA4	Cat 5 (XL-B)	Mud Room: Button 2E-AU.3	31 XL Keypad 2E-A/U	2E-XA4	Cat 5e	Green	Button U3	Input 17

Quadrant C / 18

Mud Room: Button 2E-AU.4

XL SuperStar Module

Input Address = MCP:1-O18

Source Cable(s)				Source Wires					Device Connection
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection	
2E-X10 2E-XA4	Cat 5 (XL-B)	Mud Room: Button 2E-AU.4	31 XL Keypad 2E-A/U	2E-XA4	Cat 5e	White/Orange	Button U4	Input 18	

Quadrant C / 19

Mud Room: Button 2E-AU.5

XL SuperStar Module

Input Address = MCP:1-O19

Source Cable(s)				Source Wires					Device Connection
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection	
2E-X11 2E-XA4	Cat 5 (XL-B)	Mud Room: Button 2E-AU.5	31 XL Keypad 2E-A/U	2E-XA4	Cat 5e	Orange	Button U5	Input 19	

Quadrant C / 20

Mud Room: Button 2E-AU.6

XL SuperStar Module

Input Address = MCP:1-O20

Source Cable(s)				Source Wires					Device Connection
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection	
2E-X12 2E-XA4	Cat 5 (XL-B)	Mud Room: Button 2E-AU.6	31 XL Keypad 2E-A/U	2E-XA4	Cat 5e	White/Blue	Button U6	Input 20	

Quadrant C / 21

Mud Room: Button 2E-AU.7

XL SuperStar Module

Input Address = MCP:1-O21

Source Cable(s)				Source Wires					Device Connection
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection	
2E-X13 2E-XA4	Cat 5 (XL-B)	Mud Room: Button 2E-AU.7	31 XL Keypad 2E-A/U	2E-XA4	Cat 5e	Blue	Button U7	Input 21	

Quadrant C / 22

[MCP:1-O22]

XL SuperStar Module

Source Cable(s)				Source Wires					Device Connection
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection	

Quadrant C / 23

[MCP:1-O23]

XL SuperStar Module

Source Cable(s)				Source Wires					Device Connection
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection	

Quadrant C / 24

[MCP:1-O24]

XL SuperStar Module

Source Cable(s)				Source Wires					Device Connection
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection	

Quadrant D / 1

Lobby: Button 1E-D.1

XL SuperStar Module

Input Address = MCP:1-P01

Source Cable(s)				Source Wires					Device Connection
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection	
1E-X20 1E-XD1	Cat 5 (XL-B)	Lobby: Button 1E-D.1	53 XL Keypad 1E-D	1E-XD1	Cat 5e	Brown	Button 1	Input 1	
				1E-XD1	Cat 5e	White/Brown	Common	Common	

Quadrant D / 2

Lobby: Button 1E-D.2

XL SuperStar Module

Input Address = MCP:1-P02

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1E-X21 1E-XD1	Cat 5 (XL-B)	Lobby: Button 1E-D.2	53 XL Keypad 1E-D	1E-XD1	Cat 5e	White/Green	Button 2	Input 2

Quadrant D / 3

Lobby: Button 1E-D.3

XL SuperStar Module

Input Address = MCP:1-P03

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1E-X22 1E-XD1	Cat 5 (XL-B)	Lobby: Button 1E-D.3	53 XL Keypad 1E-D	1E-XD1	Cat 5e	Green	Button 3	Input 3

Quadrant D / 4

Lobby: Button 1E-D.4

XL SuperStar Module

Input Address = MCP:1-P04

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1E-X23 1E-XD1	Cat 5 (XL-B)	Lobby: Button 1E-D.4	53 XL Keypad 1E-D	1E-XD1	Cat 5e	White/Orange	Button 4	Input 4

Quadrant D / 5

Foot of Lower Stairs: Button 1E-E.1

XL SuperStar Module

Input Address = MCP:1-P05

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1E-X24 1E-XE1	Cat 5 (XL-B)	Foot of Lower Stairs: Button 1E-E.1	46 XL Keypad 1E-E	1E-XE1	Cat 5e	Brown	Button 1	Input 5
				1E-XE1	Cat 5e	White/Brown	Common	Common

Quadrant D / 6

Foot of Lower Stairs: Button 1E-E.2

XL SuperStar Module

Input Address = MCP:1-P06

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1E-X25 1E-XE1	Cat 5 (XL-B)	Foot of Lower Stairs: Button 1E-E.2	46 XL Keypad 1E-E	1E-XE1	Cat 5e	White/Green	Button 2	Input 6

Quadrant D / 7

Foot of Lower Stairs: Button 1E-E.3

XL SuperStar Module

Input Address = MCP:1-P07

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1E-X26 1E-XE1	Cat 5 (XL-B)	Foot of Lower Stairs: Button 1E-E.3	46 XL Keypad 1E-E	1E-XE1	Cat 5e	Green	Button 3	Input 7

Quadrant D / 8

Foot of Lower Stairs: Button 1E-E.4

XL SuperStar Module

Input Address = MCP:1-P08

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1E-X27 1E-XE1	Cat 5 (XL-B)	Foot of Lower Stairs: Button 1E-E.4	46 XL Keypad 1E-E	1E-XE1	Cat 5e	White/Orange	Button 4	Input 8

Quadrant D / 9

Foot of Lower Stairs: Button 1E-E.5

XL SuperStar Module

Input Address = MCP:1-P09

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1E-X28 1E-XE1	Cat 5 (XL-B)	Foot of Lower Stairs: Button 1E-E.5	46 XL Keypad 1E-E	1E-XE1	Cat 5e	Orange	Button 5	Input 9

Quadrant D / 10

Foot of Lower Stairs: Button 1E-E.6

XL SuperStar Module

Input Address = MCP:1-P10

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1E-X29 1E-XE1	Cat 5 (XL-B)	Foot of Lower Stairs: Button 1E-E.6	46 XL Keypad 1E-E	1E-XE1	Cat 5e	White/Blue	Button 6	Input 10

Quadrant D / 11

Lower Stairway ↑: Button 1M-A.1

XL SuperStar Module

Input Address = MCP:1-P11

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1M-X01 1M-XA1	Cat 5 (XL-B)	Lower Stairway ↑: Button 1M-A.1	55 XL Keypad 1M-A	1M-XA1	Cat 5e	Brown	Button 1	Input 11
				1M-XA1	Cat 5e	White/Brown	Common	Common

Quadrant D / 12

Lower Stairway ↑: Button 1M-A.2

XL SuperStar Module

Input Address = MCP:1-P12

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1M-X02 1M-XA1	Cat 5 (XL-B)	Lower Stairway ↑: Button 1M-A.2	55 XL Keypad 1M-A	1M-XA1	Cat 5e	White/Green	Button 2	Input 12

Quadrant D / 13

Lower Stairway ↑: Button 1M-A.3

XL SuperStar Module

Input Address = MCP:1-P13

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1M-X03 1M-XA1	Cat 5 (XL-B)	Lower Stairway ↑: Button 1M-A.3	55 XL Keypad 1M-A	1M-XA1	Cat 5e	Green	Button 3	Input 13

Quadrant D / 14

Lower Stairway ↑: Button 1M-A.4

XL SuperStar Module

Input Address = MCP:1-P14

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1M-X04 1M-XA1	Cat 5 (XL-B)	Lower Stairway ↑: Button 1M-A.4	55 XL Keypad 1M-A	1M-XA1	Cat 5e	White/Orange	Button 4	Input 14

Quadrant D / 15

Long Hall: Button 1C-C.1

XL SuperStar Module

Input Address = MCP:1-P15

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1C-X09 1C-XC1	Cat 5 (XL-B)	Long Hall: Button 1C-C.1	28 XL Keypad 1C-C	1C-XC1	Cat 5e	Brown	Button 1	Input 15
				1C-XC1	Cat 5e	White/Brown	Common	Common

Quadrant D / 16

Long Hall: Button 1C-C.2

XL SuperStar Module

Input Address = MCP:1-P16

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1C-X10 1C-XC1	Cat 5 (XL-B)	Long Hall: Button 1C-C.2	28 XL Keypad 1C-C	1C-XC1	Cat 5e	White/Green	Button 2	Input 16

Quadrant D / 17

Long Hall: Button 1C-C.3

XL SuperStar Module

Input Address = MCP:1-P17

<i>Source Cable(s)</i>				<i>Source Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1C-X11 1C-XC1	Cat 5 (XL-B)	Long Hall: Button 1C-C.3	28 XL Keypad 1C-C	1C-XC1	Cat 5e	Green	Button 3	Input 17

Quadrant D / 18

Long Hall: Button 1C-C.4

XL SuperStar Module

Input Address = MCP:1-P18

<i>Source Cable(s)</i>				<i>Source Wires</i>					<i>Device Connection</i>
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function		
1C-X12 1C-XC1	Cat 5 (XL-B)	Long Hall: Button 1C-C.4	28 XL Keypad 1C-C	1C-XC1	Cat 5e	White/Orange	Button 4	Input 18	

Quadrant D / 19

Fitness Room: Button 1D-A.1

XL SuperStar Module

Input Address = MCP:1-P19

<i>Source Cable(s)</i>				<i>Source Wires</i>					<i>Device Connection</i>
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function		
1D-X01 1D-XA1	Cat 5 (XL-B)	Fitness Room: Button 1D-A.1	24 XL Keypad 1D-A	1D-XA1	Cat 5e	Brown	Button 1	Input 19	
				1D-XA1	Cat 5e	White/Brown	Common	Common	

Quadrant D / 20

Fitness Room: Button 1D-A.2

XL SuperStar Module

Input Address = MCP:1-P20

<i>Source Cable(s)</i>				<i>Source Wires</i>					<i>Device Connection</i>
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function		
1D-X02 1D-XA1	Cat 5 (XL-B)	Fitness Room: Button 1D-A.2	24 XL Keypad 1D-A	1D-XA1	Cat 5e	White/Green	Button 2	Input 20	

Quadrant D / 21

Fitness Room: Button 1D-A.3

XL SuperStar Module

Input Address = MCP:1-P21

<i>Source Cable(s)</i>				<i>Source Wires</i>					<i>Device Connection</i>
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function		
1D-X03 1D-XA1	Cat 5 (XL-B)	Fitness Room: Button 1D-A.3	24 XL Keypad 1D-A	1D-XA1	Cat 5e	Green	Button 3	Input 21	

Quadrant D / 22

Fitness Room: Button 1D-A.4

XL SuperStar Module

Input Address = MCP:1-P22

<i>Source Cable(s)</i>				<i>Source Wires</i>					<i>Device Connection</i>
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function		
1D-X04 1D-XA1	Cat 5 (XL-B)	Fitness Room: Button 1D-A.4	24 XL Keypad 1D-A	1D-XA1	Cat 5e	White/Orange	Button 4	Input 22	

Quadrant D / 23

Fitness Room: Button 1D-A.5

XL SuperStar Module

Input Address = MCP:1-P23

<i>Source Cable(s)</i>				<i>Source Wires</i>					<i>Device Connection</i>
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function		
1D-X05 1D-XA1	Cat 5 (XL-B)	Fitness Room: Button 1D-A.5	24 XL Keypad 1D-A	1D-XA1	Cat 5e	Orange	Button 5	Input 23	

Quadrant D / 24

Fitness Room: Button 1D-A.6

XL SuperStar Module

Input Address = MCP:1-P24

<i>Source Cable(s)</i>				<i>Source Wires</i>					<i>Device Connection</i>
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function		
1D-X06 1D-XA1	Cat 5 (XL-B)	Fitness Room: Button 1D-A.6	24 XL Keypad 1D-A	1D-XA1	Cat 5e	White/Blue	Button 6	Input 24	

Data Bus

White: MCP 1 - Star Chain #4 Bus

XL SuperStar Module

<i>Load Cable(s)</i>				<i>Load Cable Wires</i>				
Circuit ID Cable ID	Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-C132 1L-C132	Cat 5 (XL-S)	White: MCP 1 - Star Chain #4 Bus	33 Yellow/CN-Panel/1	1L-C132	Cat 5e	Blue	1-BK	BK
				1L-C132	Cat 5e	Brown	2-BN	BN
				1L-C132	Cat 5e	Orange	3-RD	RD
				1L-C132	Cat 5e	Green	4-GN	GN

Pass-Thru, Signal Set (1 of 2) "Heater Control Buttons Signal Pass-Thru Set" Field Splice Tag Number na

Input / Channel #1

Garage: Button 3A-D.1 (ext 1)

Pass-Thru, Signal Set #1

Input na

Source Cable(s)			
Circuit ID Cable ID	Style	Location & Name	Length & Destination
2H-X11 2H-XT1	Cat 5 (XL-B)	Garage: Button 3A-D.1 (ext 1)	48 Orange/XL-Dim/2

Load Cable(s)			
Cable ID	Style	Circuit Branch Name / Function	Cable Origin
1L-A180	Cat 5 (XL-B)	Mech Room: Button 3A-D.1 (ext 2)	White/CN-Panel/2

Source Wires				Device Connection
Cable ID	AWG	Wire Color	Wire Function	
2H-XT1	Cat 5e	White/Orange	Signal 4	Signal #1

Load Cable Wires				Device Connection
Cable ID	AWG	Wire Color	Wire Function	
1L-A180	Cat 5e	Brown	Button 1	Signal #1
1L-A180	Cat 5e	White/Brown	Common	Return

Input / Channel #2

Garage: Button 2G-C.1 (ext)

Pass-Thru, Signal Set #1

Input na

Source Cable(s)			
Circuit ID Cable ID	Style	Location & Name	Length & Destination
2H-X35 2H-XT1	Cat 5 (XL-B)	Garage: Button 2G-C.1 (ext)	48 Orange/XL-Dim/2

Load Cable(s)			
Cable ID	Style	Circuit Branch Name / Function	Cable Origin
1L-A180	Cat 5 (XL-B)	Mech Room: Button 2G-C.1 (ext 2)	White/CN-Panel/2

Source Wires				Device Connection
Cable ID	AWG	Wire Color	Wire Function	
2H-XT1	Cat 5e	Blue	Signal 7	Signal #2

Load Cable Wires				Device Connection
Cable ID	AWG	Wire Color	Wire Function	
1L-A180	Cat 5e	White/Green	Button 2	Signal #2

Input / Channel #3

Blue Utility Area: Button 1H-A.1 (ext)

Pass-Thru, Signal Set #1

Input na

Source Cable(s)			
Circuit ID Cable ID	Style	Location & Name	Length & Destination
1G-X42 1G-XT1	Cat 5 (XL-B)	Blue Utility Area: Button 1H-A.1 (ext)	65 Blue/XL-Dim

Load Cable(s)			
Cable ID	Style	Circuit Branch Name / Function	Cable Origin
1L-A180	Cat 5 (XL-B)	Mech Room: Button 1H-A.1 (ext 2)	White/CN-Panel/2

Source Wires				Device Connection
Cable ID	AWG	Wire Color	Wire Function	
1G-XT1	Cat 5e	Orange	Button 1H-A.1 (ext)	Signal #3

Load Cable Wires				Device Connection
Cable ID	AWG	Wire Color	Wire Function	
1L-A180	Cat 5e	Green	Button 3	Signal #3

Input / Channel #4

Blue Utility Area: Button 1H-B.1 (ext)

Pass-Thru, Signal Set #1

Input na

Source Cable(s)			
Circuit ID Cable ID	Style	Location & Name	Length & Destination
1G-X43 1G-XT1	Cat 5 (XL-B)	Blue Utility Area: Button 1H-B.1 (ext)	65 Blue/XL-Dim

Load Cable(s)			
Cable ID	Style	Circuit Branch Name / Function	Cable Origin
1L-A180	Cat 5 (XL-B)	Mech Room: Button 1H-B.1 (ext 2)	White/CN-Panel/2

Source Wires				Device Connection
Cable ID	AWG	Wire Color	Wire Function	
1G-XT1	Cat 5e	White/Blue	Button 1H-B.1 (ext)	Signal #4

Load Cable Wires				Device Connection
Cable ID	AWG	Wire Color	Wire Function	
1L-A180	Cat 5e	White/Orange	Button 4	Signal #4

Output / Channel #1

Mech Room: Button 3A-D.1 (ext 2)

Pass-Thru, Signal Set #1

Output na

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1L-A180 1L-A180	Cat 5 (XL-B)	Mech Room: Button 3A-D.1 (ext 2)	25 White/CN-Panel/2

Cable ID	Style	Circuit Branch Name / Function	Cable Origin
2H-XT1	Cat 5 (XL-B)	Garage: Button 3A-D.1 (ext 1)	Orange/XL-Dim/2

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-A180	Cat 5e	Brown	Button 1	Signal #1
1L-A180	Cat 5e	White/Brown	Common	Return

Cable ID	AWG	Wire Color	Wire Function	Device Connection
2H-XT1	Cat 5e	White/Orange	Signal 4	Signal #1

Output / Channel #2

Mech Room: Button 2G-C.1 (ext 2)

Pass-Thru, Signal Set #1

Output na

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1L-A184 1L-A180	Cat 5 (XL-B)	Mech Room: Button 2G-C.1 (ext 2)	25 White/CN-Panel/2

Cable ID	Style	Circuit Branch Name / Function	Cable Origin
2H-XT1	Cat 5 (XL-B)	Garage: Button 2G-C.1 (ext)	Orange/XL-Dim/2

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-A180	Cat 5e	White/Green	Button 2	Signal #2

Cable ID	AWG	Wire Color	Wire Function	Device Connection
2H-XT1	Cat 5e	Blue	Signal 7	Signal #2

Output / Channel #3

Mech Room: Button 1H-A.1 (ext 2)

Pass-Thru, Signal Set #1

Output na

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1L-A182 1L-A180	Cat 5 (XL-B)	Mech Room: Button 1H-A.1 (ext 2)	25 White/CN-Panel/2

Cable ID	Style	Circuit Branch Name / Function	Cable Origin
1G-XT1	Cat 5 (XL-B)	Blue Utility Area: Button 1H-A.1 (ext)	Blue/XL-Dim

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-A180	Cat 5e	Green	Button 3	Signal #3

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1G-XT1	Cat 5e	Orange	Button 1H-A.1 (ext)	Signal #3

Output / Channel #4

Mech Room: Button 1H-B.1 (ext 2)

Pass-Thru, Signal Set #1

Output na

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1L-A183 1L-A180	Cat 5 (XL-B)	Mech Room: Button 1H-B.1 (ext 2)	25 White/CN-Panel/2

Cable ID	Style	Circuit Branch Name / Function	Cable Origin
1G-XT1	Cat 5 (XL-B)	Blue Utility Area: Button 1H-B.1 (ext)	Blue/XL-Dim

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-A180	Cat 5e	White/Orange	Button 4	Signal #4

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1G-XT1	Cat 5e	White/Blue	Button 1H-B.1 (ext)	Signal #4

Pass-Thru, Signal Set (2 of 2) "XL Keypad Backlight Signal" Field Splice Tag Number na

Input / Channel #1

Pass-Thru, Signal Set #2

Output Address = MCP:1-(6)121

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1L-A53 1L-A53	18-2	Mech Room: XL Button Backlight - Segment 1A	32 Yellow/XL-LVRB

Cable ID	Style	Circuit Branch Name / Function	Cable Origin
1L-A54	18-2	Mech Room: XL Button Backlight - Segment 1B	White/XL-Dim

Mech Room: XL Button Backlight - Segment 1A

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-A53	18	Red	Terminal B	Signal #1
1L-A53	18	Black	Terminal A	Return

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-A54	18	Red	Signal	Signal #1
1L-A54	18	Black	Return	Return

Output / Channel #1

Pass-Thru, Signal Set #2

Output MCP:1-(6)121

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1L-A54 1L-A54	18-2	Mech Room: XL Button Backlight - Segment 1B	3 White/XL-Dim

Cable ID	Style	Circuit Branch Name / Function	Cable Origin
1L-A53	18-2	Mech Room: XL Button Backlight - Segment 1A	Yellow/XL-LVRB

Mech Room: XL Button Backlight - Segment 1B

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-A54	18	Red	Signal	Signal #1
1L-A54	18	Black	Return	Return

Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-A53	18	Red	Terminal B	Signal #1
1L-A53	18	Black	Terminal A	Return

Output / Channel #2

Pass-Thru, Signal Set #2

Output tbd

New

Circuit ID Cable ID	Style	Location & Name	Length & Destination
2D-X50 2D-XE3	Cat 5 (XL-B)	Kitchen: Backlight 2D-EL	57 XL Keypad 2D-E/L
2E-X25 2E-XA3	Cat 5 (XL-B)	Mud Room: Backlight 2E-AU	31 XL Keypad 2E-A/U
2F-X29 2F-XF2	Cat 5 (XL-B)	Screen Porch: Backlight 2F-FL	57 XL Keypad 2F-F/L
3A-X02 3A-XA3	Cat 5 (XL-B)	Lakeside Rm: Backlight 3A-AR	69 XL Keypad 3A-A/R
3A-X03 3A-XA3	Cat 5 (XL-B)	Lakeside Rm: Backlight 3A-AL	69 XL Keypad 3A-A/L
3A-X05 3A-XB3	Cat 5 (XL-B)	Upper Bar: Backlight 3A-BR	61 XL Keypad 3A-B/R

XL Keypad Backlight

Cable ID	AWG	Wire Color	Wire Function	Device Connection
2D-XE3	Cat 5e	Blue	Backlight	Signal #2
2E-XA3	Cat 5e	Blue	Backlight	Signal #2
2F-XF2	Cat 5e	Blue	Backlight	Signal #2
3A-XA3	Cat 5e	Blue	Backlight	Signal #2
3A-XA3	Cat 5e	White/Blue	Backlight	Signal #2
3A-XB3	Cat 5e	Blue	Backlight	Signal #2

Spare Cable Group "Spare XL Button Transfer Cable" Tag Number na

Not Connected / #1

Blue Utility Area: XL Input Transfer (spare)

Spare Cable Group

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1G-X44 1G-XT2	Cat 5 (XL-B)	Blue Utility Area: XL Input Transfer (spare)	65 Blue/XL-Dim

Not Connected / #2

Green Utility Closet: XL Input Transfer (spare)

Spare Cable Group

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1F-X34 1F-XT2	Cat 5 (XL-B)	Green Utility Closet: XL Input Transfer (spare)	59 Green/XL-Dim

Not Connected / #3

Garage: XL Input Transfer (spare)

Spare Cable Group

Circuit ID Cable ID	Style	Location & Name	Length & Destination
2H-X31 2H-XT3	Cat 5 (XL-B)	Garage: XL Input Transfer (spare)	48 Orange/XL-Dim/2

Not Connected / #4

Garage: XL Input Transfer (spare)

Spare Cable Group

Circuit ID Cable ID	Style	Location & Name	Length & Destination
2H-X32 2H-XT4	Cat 5 (XL-B)	Garage: XL Input Transfer (spare)	48 Orange/XL-Dim/1

Not Connected / #5

Red Utility Closet: XL Input Transfer (spare)

Spare Cable Group

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1C-X13 1C-XT1	Cat 5 (XL-B)	Red Utility Closet: XL Input Transfer (spare)	42 Red/XL-Dim/1

Not Connected / #6

Red Utility Closet: XL Input Transfer (spare)

Spare Cable Group

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1C-X14 1C-XT2	Cat 5 (XL-B)	Red Utility Closet: XL Input Transfer (spare)	43 Red/XL-Dim/2

Not Connected / #7

Mech Room: XL Input Transfer (spare)

Spare Cable Group

Circuit ID Cable ID	Style	Location & Name	Length & Destination
1L-X01 1L-XT1	Cat 5 (XL-B)	Mech Room: XL Input Transfer (spare)	3 White/XL-Dim

Outlet, Duplex (15A)	"Duplex Outlet (Line)"	(Part TBD) Tag Number 0711
-----------------------------	------------------------	---

Power In (120 Vac)

White & Yellow Panels Line Power

Outlet, Duplex (15A)

Circuit ID Cable ID		Style	Location & Name	Length & Destination	Cable ID	AWG	Wire Color	Wire Function	Device Connection
1L-37		14-2	White & Yellow Panels Line Power	50	1L-37	14	Black	Hot	Hot
1L-37				Multiple	1L-37	14	White	Neutral	Neutral